



*Engineered Hardwood Flooring
Manufacturer*



About us


Located in the Green Belt of Ontario, Canada, Three Trees Flooring is a Toronto-based hardwood flooring manufacturer of sustainable wide plank European white oak hardwood flooring.

What sets us apart is the versatility our flooring collections offer. All Three Trees Flooring colours are available in various grades, widths, including chevron, and herringbone. Our material is imported directly from Europe unfinished and stocked in our Toronto based facility. All pre-finished flooring is produced by order, making it a unique and handcrafted element to compliment any inspiration, hence our slogan "You design, we create".

Three Trees Flooring is not sold directly to the public. Our collections are sold exclusively to designers, builders, and established flooring retailers across North America.




Plank



Many hardwood flooring manufactures offer only one option. At Three Trees Flooring we pride ourselves in offering our clients versatility with their flooring needs without forfeiting quality or design.

Essence	: European White Oak
Wear Layer	: 3.78 mm
Thickness	: 3/4"
Widths	: 5 3/4" , 7 1/2" , 9 1/2"
Grade	: Select & Better / Character






Chevron



Believed to resemble two roof beams, chevron gained its popularity in Europe during the 16th century. This timeless parquet provides an elegant and linear look.

Essence	: European White Oak
Lengths	: 21" & 28"
Thickness	: 3/4"
Widths	: 3 7/8"
Core	: 3-ply Spruce
Grade	: Select & Better / Character





Herringbone



Deriving its name for the resemblance of the herring fish skeleton dating back to the ancient Roman empire, this parquet pattern can be found in many historical European architecture.

Herringbone pattern creates a more traditional design.

Essence	: European White Oak
Lenght	: 23" & 31"
Thickness	: 3/4"
Widths	: 3 7/8"
Core	: 3 ply-spruce
Grade	: Select & Better / Character






Three Trees Flooring offers three flooring collections, Veneto, Nordic and Bespoke.

In addition to our existing colours, we offer the ability to collaborate with our team to develop custom flooring options.

All our collections are pre-finished in Toronto, Canada .
The durable finish is suitable for both residential and commercial environments.

You Design. We Create



Marquetry

Versailles Panels




Made by order in Europe, these Versailles panels are fully customizable available in various designs, sizes and species.














Essence	: European White Oak
Size	: 24" - 32" - 40"
Thickness	: 3/4" - 5/8"









CLASSIC MARQUETRY




CHEVRON



PLANK



HERRINGBONE





Hardwood Flooring Grades

Grading refers to only the overall look of the hardwood flooring. The grading does not refer or affect the overall structural quality of the floors.

Character Grade

Character grade presents the most authentic state of hardwood. With this grade, more colour variance and sap wood are present. Natural knots from the oak's lumber are filled with stain absorbing wood filler.

Select & Better Grade

White oak lumber is hand selected for this grade of wood. Lumber provided has a more uniform look with the exclusion of large, filled knots. Though tiny pin knots may be present the white oak in this grade naturally has less colour variation.



Important Information

Wood is a natural product and will naturally shrink and expand with fluctuation of temperature and humidity. Temperature must remain between 17 degrees Celsius (60 Fahrenheit) – 26 degrees Celsius (80 Fahrenheit) and Relative Humidity must remain between 45%-60%.

UV finish is highly resistant against liquids; however, we do recommend all liquids and spills be wiped off as soon as possible to avoid penetration between the boards.

It is recommended to use felt pads under furniture and avoid any dragging of furniture and appliances to prevent scratching the hardwood surface.

Only use industry approved hardwood flooring cleaners on the flooring.

During installation any floor covering should be taped to the baseboard or shoe moulding with a low adhesion tape. When taping flooring covering sheets, they should be only taped to each other. Never tape directly onto the hardwood flooring.

Wood is a natural product that contains distinctive grains and colour. Samples and photos provided are examples only and is not representative of the full colour and knot variance found on the flooring surface.





**20 Alness Street
Toronto, ON Canada**

**www.threetreesflooring.ca
info@threetreesflooring.ca**